

CLEARANCE DEALS

ON SITE CONNECTION

10/MP TIGS PG 5

KIT OUT THE WORKSHOP

MIG & PLASMA SPARE KITS PG 11

Trade one New Zealand

WWW.TRADEZONE.CO.NZ



BRAND NEW MODEL

ARC630 630 AMP DC MMA/CAG/TIG

- New MCU control system
- MMA (stick electrode)
 - Selectable On/Off VRD
- Hot start
- Arc Force
- Excellent arc stability
- - Lift Arc Ignition
 - Ultra smooth DC-TIG current
- Arc Air Gouging Mode with High OCV
- Generator Compatible
- Thermal overload protection
- Tolerant to variable power supply
- Compliant to AS/NZ 60974-1

Power Supply 415V - 3Ph I ieff MMA 31.0 Amps TIG 31.6 Amps ΜΜΑ 62.0 Amps I Max TIG 50.0 Amps Duty Cycle @ 40°C 25% @ 630A MMA

100% @ 315A MMA 40% @ 630A TIG

100% @ 400A TIG

OCV (VRD Off) 90V Power Factor 0.7 Efficiency ≥80 33.5kg Weight AS/NZ60974-1 Certification Approval





THERMAL OVERLOAD PROTECTION



SWITCHABLE VRD



PHASE LOSS **PROTECTION**







Including GST

\$3,451.30 excluding GST XA-ARC630RZ-K

NEW RELEASE





Earth Lead & Arc Lead are optional and Extra

RAZORCUT

CUT120 120AMP PLASMA CUTTER

MADE FOR THE PROFESSIONAL **NEEDING MAXIMUM POWER** FROM A PORTABLE MACHINE

- 120 Amp @ 35% Duty Cycle 415V
- 45mm Clean Cut on Steel
- 60mm Sever Cut on Steel
- · Digital Screen
- **CNC Connect Ready**
- · Pilot Arc Low Frequency Start
- · 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 415V - 3Ph Duty Cycle @ 40°C 60% @ 120A Current Range 20-120A No Load Voltage 420V Air Flow Draw 7.0cfm Air Pressure 75nsi Weight 24Kg

560x220x415



\$5,330.00 **Including GST** \$4.634.78 excluding GST

C/w 6m SC120 Suregrip™ Plasma Torch, Earth Lead and Spares. XA-CUT120RZ-K



EVOLVE 200 PULSE

NEXT GENERATION PULSE MIG

EVOLVE 200 PULSE

200 AMP PULSE MIG/TIG/MMA **SETTING A NEW STANDARD** SYNERGIC OPERATION Multifunction MIG/TIG/MMA 5" LCD Touch Screen

- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg Spool Capacity
- Spoolgun & Push-Pull Ready
- DC-TIG with HF Start & Gas Solenoid
- TIG Pulse, Slope & Gas Timer Controls
- MMA with Anti-Stick, Arc Force & Power Limit
- Unique EVOLVE Smart App for device connectivity
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 200A @ 25°C 40% @ 200A

Current Range MIG 40 - 200A5 - 200A Current Range TIG Current Range MMA 20 - 180A Rated Power 11 KVA

Dimensions 605x230x400mm Weight 17kg







WIRELESS APP CONTROL



4 GEARED WIRE DRIVE



TOUCH LCD SCREEN

\$**3,955**.00

 α

C/w 3m DM26 Suregrip™ Mig Torch with Remote Controls, Arc Set x 4m, Twin Gauge Argon Regulator. Tig Torch is Optional and Extra

Including GST \$3,439.13 excluding GST XA-MIG200EP-K

NEW RELEASE

VIPER

SYNERGIC MIG135 135AMP MIG/TIG/MMA WELDER

SINGLE KNOB MIG CONTROL

Synergic MIG control takes the guesswork out of your settings. Simply select your wire size, then turn the Synergic power knob up or down to suit the heat level required for the job.

- Multi-process MIG, TIG, MMA (Stick)
- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- DC Lift Arc TIG
- Light Weight 5.2kg
- Certified & Approved to AS/NZS 60974-1

Power Supply 230V - 1Ph 15% @ 135A Duty Cycle @ 40°C @ 25°C 40% @ 135A Lieff 8.4A Amp Range MIG 40 - 120A Amp Range TIG 20 - 120A 20 - 120A Amp Range MMA Rated Power 8.0 kVa





\$593.00 Including GST \$515.65 excluding GST

Supplied with Fixed Mig Torch, Earth Lead, Drive Roll Set, 1kg Spool Gasless Wire.

Dimensions (mm)

TIG200PRZ 200 AMP DC PULSE TIG/MMA

- DC TIG HF Arc Ignition
- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- MMA Arc Ignition Control
- MMA Arc Force Control

Weight

Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 25% @ 200A @ 25°C 55% @ 200A Current Range TIG 05 - 200A Current Range MMA 10 - 160A Rated Power 7.0 KVA Dimensions (mm) 365x135x277

6.5kg

C/w ARC T2FX x 8m Flexi TIG Torch & Starter Kit.

Arc Set x 4m, Argon Flowtube Regulator



\$**1.533**.00 Including GST \$1,333.04 excluding GST XA-TIG200PRZ-T2

TIG200CRZ AC/DC 200 AMP AC DC TIG/MMA

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- · Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- MMA with VRD
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

Power Supply Duty Cycle @ 40°C @ 25°C

Current Range TIG Current Range MMA Rated Power Dimensions (mm)

Weight

25% @ 200A 55% @ 200A 05 - 200A

RAZORWELD TIGEOOCRZ

10 - 160A 6.0 KVA 426x162x326 10.0kg

230V - 1Ph

C/w ARC T3FX x 4m Flexi TIG Torch & Starter Kit. Arc Set x 4m, Argon Flowtube Regulator

Includina GST

\$2,226.09 excluding GST XA-TIG200CRZ ACDC-T3

CLEARANCE

LIMITED STOCK

RAZORWELD MIG200WRZ

MIG200WRZ 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- · Spool Gun & Push Pull Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- · MMA Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph 15% @ 200A Duty Cycle @ 40°C @ 25°C 40% @ 200A Current Range MIG 30 - 200A Current Range TIG-MMA 10 - 200A Weight 57Kg Dimensions (mm) 900x400x785



\$**2.300**.00 Including GST \$2,000.00 excluding GST

XA-MIG200WRZ-K

RAZORWELD

MIG205-SS 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- New IGBT 40KHz Technology
- MIG Gas/Gasless, 5kg Spool Capacity
- Smart Set or Manual Operation
- Spool Gun Ready
- DC TIG Lift Arc, Euro Torch Connect
- TIG Gas Solenoid, Post-Gas/Downslope
- · Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 20% @ 200A @ 25°C 45% @ 200A Current Range MIG 30 - 200A Current Range TIG 10 - 200A Rated Power 9.4 KVA

Dimensions (mm) 470x190x380 Weight 12.5kg

C/w 3m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Euro Tig Torch is optional and extra



\$1.**715**.00 **Including GST** \$1,491.30 excluding GST

XA-MIG205SS-K

Arc Set x 4m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,

CUT40 40 AMP PLASMA CUTTER WITH BUILT IN AIR COMPRESSOR

- PFC Power Factor Correction
- Inbuilt Compressor Cut Thickness:
- Clean Cut on Steel 12mm - Sever Cut on Steel 15mm
- External Compressor Cut Thickness:
- Clean Cut on Steel 15mm Sever Cut on Steel 18mm
- SC80 Euro Connect Plasma Torch
- Generator Compatible 10.0 KVA

Power Supply 230V - 1Ph 20 - 40A **Cut Current Range** Duty Cycle @ 40°C 40% @ 40A Plasma Arc Start Pilot Arc Air Flow Draw 4.5cfm Air Pressure 75psi Protection Class IP23

Dimensions (LxWxH) 510x210x380mm Weight Power Source 18Kg Certification Approval AS/NZ60974-1

C/w 6m SC80 Suregrip™ Plasma Torch. Earth Lead and Spares.



\$2,672.00 **Including GST**

\$2,323.48 excluding GST XA-CUT40PC-K

RAZORCUT

CUTH 5 PFC

45 AMP PLASMA CUTTER BRAND NEW MODEL

- 45 Amp @ 25% Duty Cycle 240V
- 16mm Clean Cut on Steel
- 25mm Sever Cut on Steel
- PFC Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 25% @ 45A 60% @ 30A @ 25°C Rated Input Power 5.3KVA Air Flow Draw 6.7cfm Air Pressure 75psi

Weight 10Kg Dimensions (mm) 546x166x341

C/w 6m SC80 Suregrip™ Plasma Torch, Earth Lead and Spares.





\$**1**,**928**.00 Including GST

\$1,676.52 excluding GST XA-RZCUT45PFC-K

RAZORCUT

CUT80 80 AMP PLASMA CUTTER

- 80 Amp @ 35% Duty Cycle 415V
- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- **CNC Connect Ready**
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 415V - 3Ph Duty Cycle @ 40°C 40% @ 80A @ 25°C 80% @ 80A

Rated Output Volatge 112V Air Flow Draw 7.5cfm

Air Pressure 80psi Weight 16Kg 560x220x415 Dimensions (mm)

C/w 6m SC120 Suregrip™ Plasma Torch,

Earth Lead and Spares.



Includina GST

\$2,369.56 excluding GST XA-CHT80B7-k

RAZORWELD

ARC160 PFC 160 AMP DC MMA/TIG

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG Smart Lift TIG
- · Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 160A @ 25°C 35% @ 160A Current Range MMA 20 - 160A Current Range TIG 10 - 160A OCV (VRD Off) 78V Rated Power 5.0 KVA

C/w 4m Arc Set (incl.Twist Type Electrode Holder)

Tig Torch is Optional and Extra

Weight

BRAND NEW MODEL

ARCISO



\$774.00 Including GST

\$673.04 excluding GST XA-RZARC160PFC-K

ARCLE

RAZORWELD

7.2kg

ARC180 180 AMP DC MMA/TIG

- 180 Amp 230V
- Industrial Application
- MMA (stick electrode)
- Selectable On/Off VRD
- Hot Start, Arc Force
- DC-TIG Lift Arc Ignition
- · Generator Compatible 8.2KVA
- Compliant to AS/NZ 60974-1

230V - 1Ph **Power Supply** Duty Cycle @ 40°C 20% @ 180A @ 25°C 40% @ 180A

Current Range MMA 30 - 180A 10 - 180A Current Range TIG OCV (VRD Off) 77V Rated Power 8.2 KVA Weight 4.7kg

C/w 4m Arc Set and Heavy-Duty Safe Case (incl.Twist Type Electrode Holder)

Tig Torch is Optional and Extra



\$690.00 Including GST \$600.00 excluding GST XA-ARC180RZ-K

RAZORWELD

ARC200 PFC 200 AMP DC MMA/TIG

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 25% @ 200A @ 25°C 40% @ 200A Current Range MMA 20 - 200A Current Range TIG 10 - 200A

OCV (VRD Off) 78V Rated Power 6.8 KVA Weight 7.6ka

C/w 4m Arc Set (incl.Twist Type Electrode Holder) Tig Torch is Optional and Extra

BRAND NEW MODEL



Including GST \$806.09 excluding GST XA-R7ARC200PFC-K

RAZORWELD TIG320ACDC

TIG320AC DC TIG/MMA INVERTER WELDER WATER COOLED PACKAGE

INDUSTRIAL 3-PHASE

- AC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form - Trapezoidal Wave Form
 - Sine Wave Form
 - AC Frequency Control
 - AC Balance Control
- DC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
- MIX ARC TIG (AC-DC)
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC Wave Hz Control
 - AC-DC Mix Cycle % Control
 - AC-DC Mix Pulse Hz Control
- · Digital Weld Sequence Control
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select - Job Memory Storage
 - Store & Select 50 Programs
- Digital Pulse Control
 - Peak & Base Amp Select
 - Pulse Frequency Control
- Pulse Width Control
- MMA (Stick Electrode)
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control - Arc Force Control

Power Supply

415V - 3 Phase Duty Cycle @ 40°C 30% @ 320A TIG

30% @ 270A MMA

Current Range TIG Current Range MMA Rated Input Power

10 - 320A 10 - 270A 10 kVA

AS/NZS60974-1 Certification Approval

\$8,619.00 Including GST

\$7,494.78 excluding GST XA-TIG320RZ ACDC-K

COMPLETE PACKAGE DEAL

Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled Tig Torch x 8m with Starter Kit Earth Lead x 4m, Arc Lead x 4m, Argon Flowmeter Regulator

MULTIPLE AC WAVE FORMS - MIX ARC WAVE FORM (AC+DC)

AC SQUARE WAVE: Allows the current to switch from electrode + to electrode - very quickly. This produces high voltage as the current switches polarities allowing the arc to restart easily. The arc can be maintained without the use of high-frequency, the fast transition provides for responsive, dynamic & focused arc for better control.



TRIANGLE WAVE: Characterised by a particularly soft and concentrated arc combining the effect of peak amperage while reducing overall heat input. Leads to quick puddle formation and because of lowered heat input reduces weld distortion especially on thin material. This wave form is ideal for very precise welding of thin aluminum plate.



AC SINE WAVE: It is the standard Wave form, characterised by low noise and excellent arc control, it also gives the soft-arc feel of a conventional power source, while using square transitions to eliminate the need for continuous HF.



AC MIX ARC: This function of MIX AC/DC makes it possible to modulate the welding current, alternating a period of TIG AC with a period of TIG DC-. The efficiency of AC TIG welding can be combined with the high penetration of DC TIG welding, obtaining higher welding speeds and establishing the weld puddle quicker on cold workpieces. Ideal for welding heavier gauge material with less current than AC welding.



RAZORWELD TIG220PFC

BRAND NEW MODEL TIG220 DC PFC 220 AMP DC TIG/MMA **CLEAR VISION TECHNOLOGY**

- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- · Arc Force Control
- Generator Compatible 9.0 kVA
- Compliant to AS/NZ 60974-1

Power Supply 240V - 1Ph Duty Cycle @ 40°C 20% @ 220A

@ 25°C 40% @ 220A Current Range MMA 20 - 160A

Current Range TIG 5 - 220A OCV (VRD Off) 68V

Rated Output 5A/10.2V - 220A/18.8V Weight 8.9kg

C/w ARC T2FX x 8m Flexi TIG Torch, Arc Set x 4m, Argon Flowtube Regulator



Including GST

\$1,732.17 excluding GST XA-RZTIG220PFC-T2

TIG2OOPFC

RAZORWELD

TIG200 AC+DC PFC 200 AMP DC TIG/MMA

CLEAR VISION TECHNOLOGY

- · AC Square Wave
- AC Balance & HZ Control
- · User Friendly Digital Interface
- Full Digital Pulse Functionality
- · Full Weld Control Functionality
- Remote Amperage Capable · Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

240V - 1Ph Power Supply Duty Cycle @ 40°C 20% @ 200A

60% @ 115A

Current Range MMA 20 - 160A Current Range TIG 5 - 200A No Load Voltage 65V

Rated Output 5A/20.8V - 200A/18V Weight

11.7kg

C/w ARC T3FX x 4m Flexi TIG Torch, Arc Set x 4m, Argon Flowtube Regulator



\$3.010.00 Including GST \$2,617.39 excluding GST XA-RZTIG200ACDCPFC-T3

TIG200RZ

TIG200RZ AC/DC 200 AMP ACTOC TIG/MMA

- · HF Arc Start
- 2/4T Trigger Function
- AC Balance Control
- AC Frequency Control
- Pulse Control Function
- Pre & Post Gas Control
- Down Slope Control

Weight

- Remote Amperage Capable
- Electrode Hot Start & Arc Force
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph

Duty Cycle @ 40°C 25% @ 200A TIG

15kg

30% @ 160A MMA Current Range TIG 10 - 200A Current Range MMA 10 - 160A Rated Power 6.9 KVA I ieff 15 Amps 566x224x405 Dimensions (mm)

C/w XA26FX x 4m Flexi TIG Torch & Spares, Arc Set x 4m, Argon Flowtube Regulator





Including GST \$2,230.43 excluding GST XA-TIG200RZ ACDC-K

4 IN 1 MULTI PROCESS WELDER

MULTI 230 AC+DC 230 AMP AC/DC MIG/MMA



230ACDC

• True 4 IN 1 Multiprocess

- MIG, AC/DC TIG, MMA
- 5" LCD Screen
- Dual Plug Capable (10A & 15A)
- Power Factor Correction (PFC)
- 100+ Synergic Programs
- Job Memory
- · Dual Gas Input
- Geared Wire Drive
- Smart Fan
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply Duty Cycle @ 40°C Duty Cycle @ 25°C Current Range MIG Current Range TIG Current Range MMA Min Generator Power Dimensions Weight

5" LCD Screen

10% @ 200A (10)A / 25% @ 230A (15A)

40% @ 200A (10A) / 60% @ 230A (15A)

25 - 200A (10A) / 25 - 230A (15A)

10 - 200A (10A / 15A)

10 - 200A (10A / 15A) 8.5kVa (10A) / 10kVa (15A)

660x210x330mm

20kg









STICK



DUAL INPUT 10A/15A



POWER FACTOR
CORRECTION



\$2,547.83 excluding GST XA-MIG230RZMTS-K





TRADESMAN WELDING GLOVES LEFT HAND PAIRS AVAILABLE

Designed for Tradesmen, these quality welding gloves are made of heat and flame resistant split cowhide. Ideal for MIG and ARC welding.

Code	Description	+GST	INCL
XA-10-2015L	Large Pair	\$12.91	\$14.85
XA-10-2015L-LH	Left Hand Large Pair	\$12.91	\$14.85
XA-10-2015XL	XL Pair	\$13.22	\$15.20
XA-10-2015XL-LH	Left Hand XL Pair	\$13.22	\$15.20





ALUMINISED HEAT REFLECTIVE FOR PROLONGED WELDING

Aluminised PFR Rayon heat reflective backhand provides prolonged radiant heat protection during welding. The aluminised Herringbone pattern reflects 95% of radiant heat. The unique 3 dimensional finger construction offers unrestricted mobility & sensitivity of fingers.

XA-10-2755-L Large XA-10-2755-XL X-Large





RAZORWELD mig250crz

MIG250CRZ 250 AMP DC MIG/TIG/MMA

- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 30% @ 250A

@ 25°C 60% @ 250A

Current Range MIG 30 - 250A Current Range MMA/TIG 15 - 250A Rated Power 10.8 KVA

Dimensions (mm) 628x267x453 30kg Weight

C/w 4m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is optional and extra



Including GST

\$2,221.74 excluding GST XA-MIG250CRZ-K

RAZORWELD migTrollet

OPTIONAL MIG TROLLEY HEAVY DUTY CONSTRUCTION

- Suits Models MIG250CRZ & MIG250DRZ
- · Slide Out Drawer
- Water Cooler Compatible
- · Cylinder Rack, Saftey Chain
- Front Swivel Castors
- Solid Rubber Wheels

\$**383**.00 **Including GST**

\$333.04 excluding GST XA-TR250





MIG SPOOL GUNS **IDEAL FOR DISTANCE & SOFT WIRE WELDING**

SUREGRIP SP15 150 AMP

A versitile spool gun ideal for Panel Beating applications using 0.6mm wire, silcon bronze 0.9mm wire. Capable to weld aluminium up to 4mm thick using 0.9mm Aluminium wire.

- Air Cooled 150 Amps
- 50% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- · Duraflex Cable System

SUREGRIP SP15 150 AMP

\$**785**.00 Includina GST

\$682.61 excluding GST XASP15-24-P1-60ER

SUREGRIP SP24 200 / SP36 300 AMP

Industrial series spool gun ideal for distance welding using most wires. Ideal for Aluminium welding applications.

- Air Cooled 200 & 300 Amps
- 60% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- **Euro Connection**
- 24v Motor
- External Wire Tensioner
- **Duraflex Cable System**
- Speed Control at Torch (machine capability dependent)

\$**925**.00 Includina GST \$804.35 excluding GST XASP24-24-P1-60ER



300 AMP

SUREGRIP SP36

Including GST \$852.17 excluding GST XASP36-24-P1-60ER



MIG200 200 AMP DC MIG/MMA

- Multifunction MIG/MMA
- MIG Gas/Gasless
- Burn Back Control
- Wire Inch
- · Spool Gun Ready
- 5Kg Spool Capacity
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 20% @ 200A

45% @ 200A @ 25°C 30 - 200A

Current Range MIG Current Range MMA 10 - 200A

Rated Power Dimensions (mm)

Weight

9.4 KVA 470x190x380 12.5kg

C/w 3m XA25 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator



\$**1.602**.00 **Including GST**

mic200

\$1,393.04 excluding GST XA-MIG200R7-K

RAZORWELD mig250wrz

MIG250WRZ 250 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- · Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- · MMA Hot Start Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 35% @ 250A @ 25°C 60% @ 250A

Current Range MIG 30 - 250A Current Range TIG-MMA 10 - 250A Weight

Dimensions (mm)

58Kg 900x400x785

C/w 4m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$2,858.90 Including GST

\$2,486.00 excluding GST XA-MIG250WRZ-K

RAZORWELD MIG350WRZ

MIG350WRZ 350 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- · Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

415V - 3Ph Power Supply Duty Cycle @ 40°C 40% @ 350A @ 25°C 70% @ 350A Current Range MIG 50 - 350A

Current Range TIG-MMA 20 - 350A Weight 58Kg

Dimensions (mm) 900x400x785

C/w 4m XA36 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$3,395.00 *Including GST*

\$2,952.17 excluding GST XA-MIG350WR7-K

RAZURWELD MIG350sWF

MIG350RZ SWF 350AMP DC MIG/TIG/MMA

Standard MIG Digital Amperage Wire Speed Spool-Gun / Push-Pull



MIG Wire Speed

Wire Inch Button

MIG Voltage

- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- · MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply 415V - 3Ph Duty Cycle @ 40°C 40% @ 350A @ 25°C 70% @ 350A Current Range MIG 50 - 350A Current Range MMA 20 - 350A Rated Power

C/w 4m XA36 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra





\$**6,485**.00 Including GST

\$5,639.13 excluding GST XA-MIG350RZSWF-K

THE BEAST!

RAZORWELD mig500swf

MIG500RZ SWF 500AMP DC MIG/TIG/MMA INDUSTRIAL WORKHORSE

Digital Amperage

Standard MIG Spool-Gun / Push-Pull

Digital Voltage



MIG Wire Speed Control

Wire Inch

MIG Voltage

- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control MIG Crater Current Control

Approved to AS/NZ 60974-1

Power Supply Duty Cycle @ 40°C 60% @ 500A 80% @ 500A @ 25°C

Current Range MIG 50 - 500A Current Range TIG-MMA 20 - 350A Rated Power 24.7 KVA

C/w 4m XA38 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra





\$7,130.00 *including GST*

\$6,200.00 excluding GST XA-MIGSOORZSWE-K

415V - 3Ph



SYNERGIC MIG120

SINGLE KNOB CONTROL

Makes it easy for those with little or no experience to be able to MIG weld. Choose your wire size turn the heat up or down as required to suit the job.

- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- Small, Compact, Portable
- Light Weight 5.2kg
- Fitted with 10 Amp Domestic Plug
- Generator Compatible 4.5kVA
- Certified & Approved to AS/NZS 60974-1

0.6, 0.8, 0.9mm

230V - 1Ph Power Supply Duty Cycle @ 40°C 10% @ 120A 25% @ 120A @ 25°C Current Range 40 - 120A

Wire Sizes

Supplied with Fixed Mig Torch, Earth Lead, Drive Roller Set, 1kg Spool Gasless Wire. Regulator is Optional & Extra





\$440.00 Including GST

\$382.61 excluding GST XA-MIG120V-K

VIPER MIG185 180 AMP DC MIG/TIG/MMA

- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- Wire Inch / Burn Back Control
- Welds Excellent with CO2 Gas
- · 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 10% @ 180A

25% @ 180A @ 25°C Current Range MIG 30 - 180A

Current Range MMA 10 - 160A Rated Power 7.1 KVA 9.8 Amps L ieff 553x214x388

Dimensions (mm) Weight 12.0kg

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra

\$**1,239**.00 *Including GST* \$1,077.39 excluding GST XA-MIG185V-K

VIPER TIG180 AC/DC 180 AMP AC+DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Square Wave
- AC Balance & Frequency Control
- Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Pre & Post Gas Flow Control
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 180A

@ 25°C 40% @ 180A Current Range TIG 5 - 180A

Current Range MMA 10 - 130A Rated Power 8.0 KVA 10 Amps I ieff Dimensions (mm) 502x218x382

Weight 7.5kg

C/w ARC T2FX x 4m Flexi-Neck TIG Torch. Arc Set x 4m, Argon Flow Regulator





\$2,184.00 Including GST

\$1.899.13 excluding GST XA-TIG180V ACDC-T2



SYNERGIC MIG165 165 AMP DC MIG/TIG/MMA

- MIG Gas/Gasless Capability
- Synergic & Manual MIG
- MIG Inductance Control
- 2T/4T Trigger Control
- DC TIG Lift Arc
- 5kg Spool Capacity
- Euro Torch Connection
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply 10% @ 165A MIG Duty Cycle @ 40°C Duty Cycle @ 25°C 25% @ 165A MIG Current Range MIG 30 - 165A Current Range MMA 20 - 140A Current Range TIG 20 - 160A Dimensions (mm) 500x210x385

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator

10kg

Tig Torch is Optional and Extra

Weight







Including GST

\$762.61 excluding GST XA-MIG165V-K

VIPER TIG200P 200 AMP DC PULSE TIG

- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- Pulse Control 0.2~200Hz
- 2T/4T Trigger
- Post Gas Flow Control
- Remote Amp Control from Torch
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 30% @ 200A

@ 25°C 60% @ 200A Current Range TIG 10 - 200A Current Range MMA 10 - 160A Rated Power 8.0 KVA Dimensions (mm) 420x160x330

Weight 7.5kg

C/w 8m XA17FX Suregrip™ Series Tig Torch with Remote Amp Control, Arc Set x 4m, Argon Flow Regulator



Including GST \$1,026.96 excluding GST

XA-TIG200VP-K

RRAND

EW MODEL

VIPER CUT 30MKII PLASMA CUTTER

30 AMP - CLEAN CUT 10MM STEEL LONG LIFE CONSUMABLES

Modern IGBT Technology

- Pilot Arc Non Contact Start
- · Contact Start Capable
- . Drag Cutting Capable
- High Quality Surecut SC40 Torch
- Pre-set Air with Auto Drain
- Generator Compatible 7.5KVA

Power Supply 240V - 1Ph Duty Cycle @ 40°C 15% @ 30A Current Range 20 - 30A Rated Input 7.5 kVA Rated Output 92V Clean Cutting 10mm Steel Sever Cutting 12mm Steel Air Flow Draw 170 (L/min) Air Pressure 70-87 psi Dimensions (mm) 534x166x343 8.5kg Weight Certification Approval AS/NZ 60974-1

C/w SureCut™ SC40 Plasma Torch x 4m & Earth Lead x 3m





\$1,050.00 Including GST \$913.04 excluding GST XA-CUT30VMK2-K



PER ARC140 140 AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- 10 Amp 230V Power Supply
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible 6.5 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 140A

@ 25°C 40% @ 140A

Current Range 20 - 140A Rated Power

6.5 KVA

l *i*eff 10 Amps 295x135x270 Dimensions (mm)

Weight 3.8kg C/w 2.5m Arc Lead Set



s320.oo **Including GST** \$278.26 excluding GST

ARCI4O

XA-VA140

ARCIEO



VIPER ARC160 160 AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible 8.0 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 160A

@ 25°C 40% @ 160A

Current Range 20 - 160A 8.0 KVA Rated Power I ieff 12.5 Amps Dimensions (mm) 295x135x270

Weight

C/w 2.5m Arc Lead Set

Including GST

\$289.56 excluding GST XA-VA160



MACHINE TROLLEY INVERTER WELDERS

- Universal design with cylinder tray
- Easy to assemble kitset
- Heavy gauge metal
- Solid rubber rear wheels
- Good quality front wheel castors
- Top Tray 500 x 300mm
- Size: 700 x 300 x 775mm





MACHINE TROLLEY SLIDING DRAWERS

XA-TRD

- Ideal for small inverter welders
- Solid design with cylinder rack
- Easy to assemble flat pack kitset
- Solid rubber rear wheels
- Quality front wheel castors
- Multi-postional front handle
- Top Tray 520 x 280mm
- Size: 710 x 370 x 845mm





PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.

- · PROBAN® Treated Flame-Retardant Cotton Body
- Kevlar® Stitching
- Great manoeuvrability
- High Quality, Low Cost
- Kiwi Sizing: M, L, XL, XXL & XXXL

XA-BPJ-M Medium XA-BPJ-L Large XA-BPJ-XL X-Large XA-BPJ-XXL XX-Large XA-BPJ-XXXL XXX-Large

\$**75**.00 **Including GST**

\$65.22 excluding GST





BLACK WELDING JACKET PROBAN TREATED COTTON BODY **LEATHER SLEEVES**

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
- Premium Cowhide Leather Sleeves
- Kevlar® Stitching
- Great manoeuvrability
- Kiwi Sizing: M, L, XL, XXL, XXXL

XA-BI P.I-M Medium XA-BLPJ-L Large XA-BLPJ-XL X-Large XA-BLPJ-XXL XX-Large XA-BLPJ-XXXL XXX-Large

\$**106**.00 Including GST \$92.17 excluding GST





WELDING APRON COWHIDE LEATHER

Xcel-Arc Black Series Leather Welding Aprons are made from highly durable and pliable split cowhide. Genuine Kevlar® thread is used in all stitching, providing high strength and durability. A unique cross over strap design includes easily adjustable straps. Available in black and one size fits all at 107cm in length.

Extra Long 107cm Length One Size Fits All

XA-BLA Black Leather Welding Apron 107cm Length

Including GST \$70.77 excluding GST



RAZORSHIELD **DIGITAL WELDING MASK**

Auto-Darkening Goggles MIG • MMA • TIG • Plasma • Gas Intergal LED Headlamp

- External Digital Control Panel
- Weld, Cut & Grind Modes
- Sensitivy & Delay Control
- 2 x Arc Sensors
- External LED Headlamp
- Low Profile Design
- Respirator Half Mask Compatible

Technical Data

0.08ms Reaction Time Arc Sensors Classification 1/1/1/2 Dark State Shades 5-9 / 9-13 Time from Dark to Light Sensitivity Setting Delay Control Power Supply Min TIG Amperage

0.01-0.9s Adjustable Adjustable Battery, Solar Cells 5 Amps AS/NZS 1338.1:2012 Compliant Standard

Kit Contents: RazorShield Goggles, Face Mask, Hood, LED Lamp, Head Band, Elastic Band, Spare Cover Lens



\$239.00 Including GST

ELITEVISION

\$207.83 excluding GS1 XA-SHIFI D

ELIPSE® HALF-MASK P2 RESPIRATOR

The Elipse® Half-Mask P2 Respirator combines a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.

- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view.
- Compatible with other PPE safety products including visors and welding helmets.

XA-MASK-SM Elipse P2 Welding Mask - Small/Medium XA-MASK-ML Elipse P2 Welding Mask - Medium/Large





Including GST \$68.65 excluding GST

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99,95% for 0,3 μ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media

XA-FILTER-TP Replacement P3 Filter Pack



Including GST \$30.00 excluding GST

RAZORWELD

WELDING RESPIRATOR NOW WITH EXTERNAL AS/NZS P2 PROTECTION

Powered air purifying respirators (PAPR) protect your respiratory system against harmful particles and/or gases and vapours, provided that enough oxygen is present in the ambient air and the hazardous substance is known. Using a powered respirator you have virtually no breathing resistance. The RazorWeld PAPR is supplied with a high-quality welding helmet that includes full digital controls and a backlit LCD display. The large 100mm x 83mm viewing area is activated by four independent sensors and the shell fitted with an integral hood and fitted airflow harness.

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year Blower Unit
- Warranty 2 years Welding Helmet

XA-5122(D)













ELITEVISION.





External grind button







WELDING FUME EXTRACTOR 230V SINGLE PHASE

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.

WARNING! WORKSAFE NEW ZEALAND

Prolonged exposure to welding fumes is a serious hazard to workers respiratory health.

Welding and hot cutting produce metal and fluxing fumes made up of toxic gases and very fine particles Inhaling welding fumes can cause ill health.

- Acute bronchitis
- Airway irritation
- Occupational asthma
- Metal fume fever
- Pneumonitis
- COPD Chronic obstructive pulmonary disease
- Cancers
- Pneumoconiosis

Download the WORKSAFE Fact Sheet





Technical Data

Air Volume Air Suction Arm Motor Power Working Voltage Filtering Area Maximum Pressure Compressed Air Filtration Efficiency Noise Level **Dimensions**

 $2000 \pm 100 \text{m}^3/\text{h}$ 1000m3/h 0.75kw 240V/50Hz 1 Phase 8 Nm3 1900Pa 0.5-0.6MPa >99.9% $< 74 \pm 5 \, dB(A)$

510x610x999mm 98 ± 5 Kg 2 years



Including GST \$3,999.13 excluding GST

KS.I-0.7S



LAVASHIELD WELDING SCREENS PROTECTION AGAINST WELDING RAYS

LAVAshield welding screens are made with specially formulated vinyl 16mil. (0.4mm) thick to meet OSHA standards and Australian NZ Safety requirements. Screens are transparent and resistant to UV rays, flame and abrasion. Keylar sewn & grommets at 270mm intervals. Screens fit within 1.8m x 1.8m Curtain Frame

\$**79**.00 **Including GST** \$68.70 excluding GST

Either Colour Same Price

XA-55-6466 RED XA-55-7466 GREEN






COMBO WELDING SCREEN FRAME **EASY TO ASSEMBLE & WITH CASTORS**

Assembles in less than 5 minutes, no tools required. Made of heavy-duty finished steel tubing for long lasting durability. Castor wheels provide ease of placement and adjustment to the welding area Frame width is 1.8m x 1.8m

COMBO JOINERS Included

Supplied with each frame, allows frames to be linked together to form a wall or shape to surround welding area. Ideal to form an instant welding bay.





Including GST \$115.22 excluding GST XA-55-8166

PYREX GAS LENS KITS INCREASE YOUR TIG WELDING VISIBILITY



Pyrex Gas Lens Kit Medium Nozzle



Pyrex Gas Lens Kit Long Nozzle



Fat Boy Pyrex Gas Lens Kit Great for Titanium!

SUIT CONVENTIONAL DESIGN TIG TORCHES

Pyrex gas lens nozzles are ideal for TIG welding applications with limited visibility, such as in and around tubing and pipe as well as inside corners and bends. Pyrex gas lens nozzles also allow reduced shielding gas consumption, with savings of up to 40% compared to using traditional parts. The tungsten adaptor with replaceable mesh screen ensures a consistent gas flow pattern and allows the tungsten electrode to be extended up to six times the electrode diameter.

Code	Description	+GST	Inclusive
PGLK172616S	Pyrex Gas Lens Kit Medium Nozzle 1.6mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172624S	Pyrex Gas Lens Kit Medium Nozzle 2.4mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172616L	Pyrex Gas Lens Kit Long Nozzle 1.6mm 17,18,26 Torch	\$27.74	\$31.90
PGLK172624L	Pyrex Gas Lens Kit Long Nozzle 2.4mm 17,18,26 Torch	\$27.74	\$31.90
PGLFBK172616	Fat Boy Pyrex Gas Lens Kit 1.6mm 17,18,26 Torch	\$56.00	\$64.40
PGLFBK172624	Fat Boy Pyrex Gas Lens Kit 2.4mm 17,18,26 Torch	\$56.00	\$64.40



MIG TORCH PARTS KITS ESSENTIAL FRONT END CONSUMABLES

Code	Description	+GST	INCL
XAMSK15	Starter Kit Binzel Style 15	\$60.87	\$70.00
XAMSK24	Starter Kit Binzel Style 24	\$68.70	\$79.00
XAMSK25	Starter Kit Binzel Style 25	\$68.70	\$79.00
XAMSK26	Starter Kit Binzel Style 26	\$86.96	\$100.00
XAMSK36	Starter Kit Binzel Style 36	\$86.96	\$100.00





FIBRE WELDING BLANKET HEAT AND FLAME RESISTANT TO 1.000°C

NEW LIGHTWEIGHT AND FLEXIBLE WELDING BLANKET

Ideal to provide protection against sparks and welding spatter that can damage valuable objects in the workspace.



\$210.16 Including GST \$182.75 excluding GST XA-FWB1818

Size: 1.8m x 1.8m x 4.8mm



PLASMA TORCH SPARES KITS FOR YOUR RAZORCUT PLASMA

All the essential front end consumables for your razorcut plasma torches

Code	Description	+GST	INCL
XAPSK-SC40	Plasma Starter Kit SureCut SC40	\$146.96	\$169.00
XAPSK-SC80	Plasma Starter Kit SureCut SC80	\$364.35	\$419.00
XAPSK-SC80-3	Plasma Starter Kit SureCut SC80 3-Ph	\$433.91	\$499.00
XAPSK-SC120	NEW: Spares Starter Kit SureCut SC120	\$582.61	\$670.00



XAPSK-SC40 Suits VIPER CUT30



XAPSK-SC80 Suits RAZOR CUT45 & CUT40PC



XAPSK-SC80-3 Suits RAZOR CUT80 w/ SC80



XAPSK-SC120 Suits RAZOR CUT120



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-REL15A-10M	Xcel-Arc Rubber 10m Extension Lead	\$107.78	\$123.95
XA-REL15A-15M	Xcel-Arc Rubber 15m Extension Lead	\$134.74	\$154.95
XA-REL15A-20M	Xcel-Arc Rubber 20m Extension Lead	\$159.13	\$183.00

BRAIDED FOR MAXIMUM HEAVY DUTY ROBUST AND IDEAL FOR CONSTRUCTION SITES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- · Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$115.65	\$133.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$154.78	\$178.00

AUTOMATIC WELDING HELMETS LENS TECHNOLOGY KRANG KRANG

TOXIC PROVEN RELIABILITY BOLD NEW GRAPHICS

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- · Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

TOXIC

\$129.00 Including GST \$112.17 excluding GST

AS6000F

BEST SELLER WIDE VIEW 100 x 60mm

- MIG/MMA/TIG Compatible
- 4 Arc Sensors
- Grind Mode
- Variable Shade 9~13
- · Sensitivity & Delay Controls
- Job Memory Recall x 3
- · Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

AS6000F

\$199.00 Including GST \$173.04 excluding GST

CHAOS

EXTERNAL SHADE ADJUSTMENT LARGE VIEW AREA 100 x 63mm

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Comfort Headgear
- · Analogue Controls
- · Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

CHAOS

\$206.00 Including GST \$179.13 excluding GST

AS7000D

DIGITAL CONTROL ULTRA WIDE VIEW 100 x 83mm

- MIG/MMA/TIG Compatible
- Massive 100 x 83mm Viewing Area
- Variable Shade 5~9 / 9~13
- · Sensitivity & Delay Control
- Comfort Headgear
- Job Memory Recall x 3
- · Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/1
- Compliant to AS/NZS 1338.1

AS7000D

\$305.00 Including GST \$265.22 excluding GST

"Want to know more?" Visit www.xcelarc.nz or contact your nearest Xcel-Arc and Razorweld stockist today!

RAZORWELD



Trade

Special pricing vaild until 30th November, 2023

RAZORCUT



New Zealand

Pro Trade Supplies Ltd

8 Curlys Way, Tauhara Taupo

Telephone: 07 377 2248 Email: sales@protradenz.co.nz



The stores promoting the offers featured in this publication are independent businesses. Therefore, not all products in this catalogue are kept in stock at all times at all stores. Although best efforts have been made to ensure all details in this catalogue are correct at the time of printing, Esseti New Zealand Limited (the importer) reserves the right to correct pricing and printing errors and product specifications should the need arise. Offers valid until 30th November, 2023 or while stocks last.